



DEEPAK FERTILISERS AND
PETROCHEMICALS CORPRN.LTD.

MATERIAL SAFETY DATA SHEET

Carbon dioxide

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Chemical Name : Carbon dioxide
Chemical Formula : CO₂
CAS Number : 124 – 38 -9
Synonyms : Carbon dioxide(cryogeni liquid) liquefied CO₂
General Use : Industrial chemical
Manufacturer's Name : Deepak Fertilisers And Petrochemicals Corporation. Ltd.
Address : : Plot K-1, MIDC Indl Area, Taloja A.V., Dist: Raigad – 410 208
Telephone no. for info. : +91 - 022 - 67684000

SECTION 2 - COMPOSITION / INFORMATION ON INGREDIENTS

Composition : Carbon dioxide 99 -100 %
Hazardous components : Carbon dioxide
ACGIH TLV : 5000 ppm

SECTION 3 - HAZARDS IDENTIFICATION

Primary Entry Routes : Inhalation , Skin Contact ,Eyes and ingestion(swallowing)
Acute health effects : Carbon dioxide is an asphyxiant. Moderate concentrations may cause headache,drowsiness,dizziness,stinging of the nose and throat,excitation,rapid breathing and heart rate,excess salivation,vomiting,and unconsciousness.
Carcinogenicity : Not listed as carcinogenic.
Chronic health effects : No harm expected to healthy individuals.
NFPA rating : Fire – 0, Health -3,Reactivity – 0 Special Hazard - Nil

SECTION 4 - FIRST AID MESURES

Eyes : Cold gas or liquid or solid carbon dioxide may cause severe frostbite. Immediately flush eyes thoroughly with warm water for at least 15 minutes Get medical attention immediately.



MATERIAL SAFETY DATA SHEET

Skin	:	Prolonged contact with carbon dioxide crystals (snow) Cold gas ,or liquid or solid carbon dioxide frostbite,immediately warm frostbite area with warm water not to exceed 41°C.Incase of massive exposure,remove contaminated clothing while showering with warm water.
Inhalation	:	Immediately remove to fresh air. If not breathing,give artificial respiration,If breathing is difficult,Get medical attention.
Swallowing	:	An unlikely rout of exposure. This product is a gas at normal temperature and pressure,but severe frostbite of lip and mouth may result from contact with the liquid or solid. Get medical attention.

SECTION 5 - FIRE FIGHTING MEASURES

Flash point	:	Not applicable
Flash point method	:	Not applicable
Auto ignition temp.	:	Non-flammable
LEL	:	Not applicable
UEL	:	Not applicable
Flammability classifn.	:	Not applicable
Extinguishing media	:	Carbon dioxide is non-flammable and does not support combustion. Use extinguishing media appropriate for surrounding fire.
Unusual fire or explosion Hazard	:	Pressure in a container can build up due to heat and it may rupture if pressure relief devices fail to function.
Hazardous combustion products	:	None.
Fire fighting instructions	:	Carbon dioxide is non-flammable. Firefighter should wear appropriate gear for surrounding fire. Evacuate personnel from danger area. SCBA may be required for rescue workers.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Small Spills / Leak	:	Shut off sources of release without risk,ventilate the area .
---------------------	---	---

SECTION 7 - HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET

Handling Precautions : Never allow any unprotected part of your body to touch uninsulated pipes or vessel containing refrigerated liquids.

Storage Requirements : Store and use with adequate ventilation.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls : Provide natural /mechanical ventilation to prevent accumulation in working zone beyond exposure limits.

Respiratory Protection : None required in general use.

Protective clothing / Equipment : Safety shoes, safety goggles and insulated neoprene gloves.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State : Refrigerated Liquid

Appearance & Odour : Colorless, Slight pungent

Vapor Pressure : 838 psig at 21.1^oC

Specific Gravity : 1.5223 at 70 ^oF (21.1^o C)

Water Solubility : 0.90 vol/vol at at 20 ^oC

Liquid density : 762 kg/m³

SECTION 10 - STABILITY AND REACTIVITY

Stability : Stable.

Chemical incompatibilities : Contact with incompatible materials (Alkali metals,alkaline earth metals),exposures to electrical discharges and or high temperatures Oxidizing Agents

Conditions to avoid : Avoid from Electrical discharges and high temperature

Hazardous Decomposition Product

SECTION 11 - TOXICOLOGICAL INFORMATION

TLV as per ACIGH : 5000 ppm

Acute Inhalation Effect : It initially stimulates respiration and then cause respiration



DEEPAK FERTILISERS AND
PETROCHEMICALS CORPRN.LTD.

MATERIAL SAFETY DATA SHEET

depression. High concentration result in narcosis.

SECTION 12 - ECOLOGICAL INFORMATION

No adverse ecological effects expected.

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal : Do not attempt to dispose.

SECTION - 14 - TRANSPORT INFORMATION

Shipping Name : Carbon dioxide refrigerated liquid
Shipping Lables : Non Flammable Gas

SECTION 15 - REGULATORY INFORMATION

Product are solely responsible for compliance with all applicable state and local reg

SECTION 16 - OTHER INFORMATION

Prepared by : Deepak Fertilisers & Petrochemicals Corporation Limited.

Disclaimer : This MSDS and the information it contains is offered to you in good faith as accurate. We believe that information to be correct but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individual and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents.

Rev. No.-00

Release Date-July01,2013

---X---